



RECEIVED

MAY 02 2001

CAU 1641 ✓

TECH CENTER 1600/2900 PATENT
ATTORNEY DOCKET NO. INVIT1100-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Hoeffler et al.
Serial No.: 09/245,615
Filed: February 4, 1999
Title: MICROARRAYS AND USES THEREFOR

Art Unit: 1641
Examiner L. Cook

Assistant Commissioner for Patents
Washington, D.C. 20231

TRANSMITTAL SHEET

Sir:

Transmitted herewith for the above-identified application please find:

1. Amendment in Response to an Office Action dated October 25, 2000 (9 pgs.);
2. A Petition for three-month Extension of Time (2 pgs.);
3. Check # 475480 for \$890.00
4. Return postcard.

CERTIFICATION UNDER 37 CFR §1.8	
I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on this date, April 25, 2001, in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.	
Rachel Carter	
(Name of Person Mailing Paper)	
Rachel Carter	4-25-01
(Signature)	(Date)

In re Application of

Hoeffler et al.

Application No.: 09/245,615

Filed: February 4, 1999

Page 2

PATENT

Attorney Docket No.: INVIT1100-1


X Check # 475480 for \$ 890.00 is enclosed to cover the fee for the Three month extension of time. No additional fee is deemed necessary in connection with the filing of this Amendment. However, if any additional fee is required, authorization is hereby given to charge the amount of any such fee to Deposit Account No. 50-1355. A duplicate copy of this sheet is enclosed.

— No fee is deemed necessary in connection with this Amendment. However, if any fee is required, authorization is hereby given to charge the amount of any such fee to Deposit Account No. 50-1355. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

Date: _____

4/25/01



Lisa A. Haile, Ph.D.

Reg. No. 38,347

Telephone: (858) 677-1456

Facsimile: (858) 677-1465

GRAY CARY WARE & FREIDENRICH LLP

4365 Executive Drive, Suite 1600

San Diego, California 92121-2189

USPTO Customer Number 28213